

## **Dedication**

I would like to dedicate this work in memory of my father, Ahmed Rafi. This work is also dedicated to my mother, Surriaya Rafi, and my husband, Isam Janajreh.

## **Acknowledgements**

I would like to thank my advisor, Dr. Prakash S. Nagarkatti and co-advisor, Dr. Mitzi Nagarkatti, for the opportunity to pursue my research interest in science. I appreciate their support and guidance throughout this study. I would also like to thank Dr. D. P. Sponenberg for his assistance with the histology as well as the other members of my committee, Dr. William Claus and Dr. Gerhardt Schurig for their time and advice during my graduate research.

Thanks also to previous lab members, Dr. Denise Hammond-McKibben and Dr. Mona Hassuneh, for their help and advice, when things did not work according to the plan and most of all for their friendship and support. I would also like to thank Ms. Arati Kamath whose friendship and trips to D.Q. and countless “sessions” have helped ease the last three years. I would also like to thank Ms. Lisa Hudson whose inquiring questions constantly tested my knowledge of basic science. I would like to thank the other Nagarkatti lab members, past and present, Mr. Robert McKallip, Mr. Mark Rhile, Ms. Eileen Murray, Mr. Mike Bradley, Mr. Ahmet Zeytun, Ms. Huimin Xu, Mr. Dawei Chen, Dr. Lioudmila Sharova and Dr. Yun Qiu for making the lab a stimulating and fun place to work.

Special thanks to my mother, Surriaya Rafi, who was always there to listen and provide advice. I would also like to thank my husband, Isam Janajreh for his support and understanding. Thanks are also due to my sister, Ashi Rafi, and brothers, Asim Rafi and Asif Rafi who provided constant encouragement and advice from miles away.

I would like to thank Dr. R. L. Grayson for his time and patience with the electron microscopy studies. Thanks to Ms. Joan Kalnitsky for the technical support at the Virginia-Marlyland Regional College of Veterinary Medicine who operated the flow cytometer and also to Ms. Judy McCord, Mrs. Amy Woods and

Mrs. Jenny Sutphin for maintaining the animal facilities in the Biology Department.

I would also like to acknowledge that this research was partially supported by grants from Sigma Xi Grants in Aid of Research, the Lupus Foundation of America's Gina Finzi Memorial Student Fellowship, from American Cancer Society and the National Institutes of Health.

## Table of Contents

Chapter 1: General Introduction, Specific Aims	
Introduction	1
Specific Aims	4
Chapter 2: Review of Literature	
I. Adhesion Molecules	6
II. Significance of CD44	6
III. Significance of <i>lpr</i> and <i>gld</i> mutations	9
IV. Are cytotoxic lymphocytes involved in nonspecific vascular Tissue injury seen <i>in vivo</i> ?	10
V. Is CD44 involved in the induction of Vascular Leak Syndrome	12
Chapter 3: Hyaluronate-CD44 Interactions Can Induce Murine B-Cell Activation	
Abstract	14
Introduction	15
Materials and Methods	18
Mice	18
Preparation of Cells and Purification of Lymphocytes	18
Antibodies and Chemicals	18
Soluble CD44 Fusion Protein	19
Proliferation Assays	19
B-cell Differentiation	19
ELISA	20
Studies on Expression of CD44 and CD45R on B Cells	

Using Immunofluorescence Analysis	20
Statistical Analysis	20
Results	22
Stimulation with HA or MoAb against CD44 triggers spleen cell proliferation <i>in vitro</i>	22
T cells fail to respond to stimulation with HA or MoAb against CD44	22
Proliferation of B lymphocytes in response to stimulation with soluble HA	27
HA-induced proliferation of B cells is independent of endotoxins	27
Role of CD44 in B cell activation induced by HA	30
Stimulation with HA leads to B-cell differentiation	30
Administration of HA <i>in vivo</i> triggers spleen cell proliferation	34
Discussion	38
 Chapter 4: Evidence for the Involvement of Fas Ligand and Perforin in the Induction of Vascular Leak Syndrome	43
Abstract	43
Introduction	43
Materials and Methods	46
Mice	46
Cells Lines	46
Antibodies	46
Interleukins	46
Detection of Surface Molecules Using Immunofluorescence Analysis	

Quantitation of Vascular Leak Syndrome	47
Cytotoxicity	47
Histology	47
Electron Microscopy Studies	49
Statistical Analysis	49
Results	50
VLS induction in wild-type, perforin-KO, FasL-defective ( <i>gld</i> ) and Fas-deficient ( <i>lpr</i> ) mice	50
Histopathological studies on organs exhibiting VLS	53
Ultrastructural studies on injury to endothelial cells during VLS	58
LAK activity in mice undergoing VLS	66
Effect of IL-2 administration on CD44 expression	75
Discussion	81
Chapter 5: Role of CD44 in the Induction of Vascular Leak Syndrome	86
Abstract	86
Introduction	86
Materials and Methods	89
Mice	89
Cell lines	89
Antibodies	89
Interleukins	89
Detection of CD44 mutation	89
Detection of surface molecules using immunofluorescence analysis	90
Quantitation of Vascular Leak Syndrome	90
Histology	91

Electron microscopy studies	91
Cytotoxicity	91
Statistical analysis	92
Results	92
Detection of the CD44 mutation	92
Decreased proliferative response of B cells to hyaluronic acid in CD44-KO mice	92
Decrease VLS in CD44-KO mice	96
Histopathological studies in organs exhibiting VLS	96
Ultrastructural studies of the lung and liver from mice undergoing VLS	101
Effects of administration of F(ab') <sub>2</sub> Fragments of antibodies against CD44 on VLS induction in wild-type mice	110
IL-2 administration increases CD8+ T cells and decreases CD4 <sup>+</sup> T cells in the spleen	110
Detection of LAK activity in CD44-KO mice	113
Discussion	113
Chapter 6: Conclusions	118
References	120
List of Abbreviations	131
CURRICULUM VITAE	132

## List of Figures and Tables

Figure 3.1	Proliferative responsiveness of spleen cells to stimulation with HA and anti-CD44 antibodies	23
Figure 3.2	Responsiveness of spleen cells to HA and chondroitin sulfate	24
Figure 3.3	T cells fail to respond to HA	26
Figure 3.4	Proliferation of B cells in response to stimulation with HA	28
Figure 3.5	Proliferation of spleen cells from immunodeficient mice in response to stimulation with HA	29
Table I	Demonstration that cells responding to HA are B cells	31
Figure 3.6	Addition of F(ab') <sub>2</sub> fragments of anti-CD44 MoAbs or soluble CD44 Rg blocks proliferation of spleen cells stimulated with HA	
	A) In the presence of soluble CD44 Rg or human IgG	32
	B) In the presence of F(ab') <sub>2</sub> fragments of anti-CD44 MoAbs alone	33
Table II	B-cell differentiation following stimulation with HA	35
Figure 3.7	Stimulation with HA triggers B-cell differentiation	36
Figure 3.8	Spleen cells exhibit a dose-dependent spontaneous proliferative response to administration of HA <i>in vivo</i>	37
Figure 4.1	VLS induction in wild-type, perforin-KO, FasL-defective ( <i>gld</i> ) and Fas-deficient ( <i>lpr</i> ) mice	51
Figure 4.2	Histopathological studies on lung in mice	54
Figure 4.3	Histopathological studies on liver in mice	56
Table III	Perivascular infiltrating lymphocytes from mice treated with	



	IL-2	59
Figure 4.4	Ultrastructural studies on injury to endothelial cells during VLS	
	A1) Wild-type mice treated with PBS	60
	A2) Wild-type mice treated with IL-2	62
	B1) <i>gld</i> mice treated with IL-2	67
	B2) Perforin-KO mice treated with IL-2	63
	B3) <i>Ipr</i> mice treated with IL-2	65
Figure 4.5	LAK activity in mice undergoing VLS against YAC-1 and endothelial cell targets	
	A) Wild-type mice and YAC-1 targets	69
	B) Perforin mice and YAC-1 targets	70
	C) <i>gld</i> mice and YAC-1 targets	71
	D) Wild-type mice and TME-3H3 targets	72
	E) Perforin mice and TME-3H3 targets	73
	F) <i>gld</i> mice and TME-3H3 targets	74
Figure 4.6	Fas expression in YAC-1 and endothelial cell line, TME-3H3	76
Figure 4.7	Effect of IL-2 administration on CD44 expression	77
Figure 4.8	Expression of CD4 and CD8 in the spleen after IL-2 treatment	80
Figure 5.1	Detection of CD44-deficient mice	93
Figure 5.2	Detection of CD44 in the spleen using flow cytometry	94
	A1) CD44 <sup>+/+</sup> Unstimulated T cells	94
	A2) CD44 <sup>+/-</sup> Unstimulated T cells	94
	A3) CD44 <sup>-/-</sup> Unstimulated T cells	94
	B1) CD44 <sup>+/+</sup> T cells stimulated with ConA	94
	B2) CD44 <sup>+/-</sup> T cells stimulated with ConA	94

	B3) CD44 <sup>-/-</sup> T cells stimulated with ConA	94
Figure 5.3	CD44-KO mice have a decreased response to hyaluronic acid	95
Figure 5.4	Decrease in VLS in CD44-KO mice following IL-2 administration	97
Figure 5.5A	Histological studies on lungs in IL-2 treated mice	98
Figure 5.5B	Histological studies on livers in mice following IL-2 treatment	99
Table IV	Perivascular infiltrating lymphocytes from wild-type and CD44-KO mice treated with IL-2	100
Figure 5.6	Ultrastructural studies on lung in IL-2 treated mice	102
	1) Wild-type mice treated with PBS	102
	2) Wild-type mice treated with IL-2	103
	3) CD44-KO mice treated with PBS	104
	4) CD44-KO mice treated with IL-2	105
Figure 5.7	Ultrastructural studies on liver in mice	106
	1) Wild-type mice treated with PBS	106
	2) Wild-type mice treated with IL-2	107
	3) CD44-KO mice treated with PBS	108
	4) CD44-KO mice treated with IL-2	109
Figure 5.8	Use of F(ab') <sub>2</sub> fragments of antibodies against CD44 to block VLS induction in wild-type mice	111
	A) 100 µg F(ab') <sub>2</sub> fragments of antibodies against CD44	111
	B) 500 µg F(ab') <sub>2</sub> fragments of antibodies against CD44	112
Figure 5.9	LAK activity in CD44 <sup>+/+</sup> and CD44-KO mice against P815 targets	115