

Table of Contents

1. Introduction and Literature Review.....	1
1.1. Overview	1
1.2. Literature Review.....	1
1.2.1. Geosynthetic description.....	2
1.2.2. Types of geosynthetics.....	3
1.2.3. Uses.....	4
1.2.4. Analysis of single tubes	6
1.2.5. Analysis of stacked tubes.....	8
1.3. Objective	9
1.4. Scope.....	9
2. Formulation.....	11
2.1. Assumptions.....	11
2.2. Basic formulation.....	11
2.2.1. Formulation for y	12
2.2.2. Formulation for s.....	13
2.2.3. Formulation for x	13
2.2.4. General formulas.....	14
2.2.5. Formulas for specific points.....	15
2.2.6. Formulas for decreasing θ values.....	16
2.3. Constraints	17
2.4. Computer analysis.....	18
2.5. Deformable foundation	19
3. Single tube	21
3.1. Introduction.....	21
3.2. Rigid foundation	21
3.2.1. Segment 1.....	22

3.2.2. Slope continuity	22
3.2.3. Constraints	22
3.3. Deformable foundation	23
3.3.1 Segment 1.....	23
3.3.2. Segment 4.....	24
3.3.3. Slope conditions.....	24
3.3.4. Constraints	24
3.3.5. Results.....	25
3.4. External water	28
3.4.1. Segment 1.....	29
3.4.2. Segment 4.....	30
3.4.3. Segment 8.....	30
3.4.4. Slope continuity	31
3.4.5. Constraints	31
3.4.6. Examples.....	31
3.4.7. Block size.....	33
3.4.7.1. Minimum block size.....	33
3.4.7.2. Effect of shape of triangular block.....	37
3.4.8. Effect of relative specific weight	40
4. Two Stacked Tubes.....	42
4.1. Introduction.....	42
4.2. Rigid foundation	43
4.2.1. Segment 1.....	43
4.2.2. Segment 2.....	44
4.2.3. Segment 3.....	44
4.2.4. Slope continuity	45
4.2.5. Constraints	45
4.2.6. Cases for the rigid foundation.....	45
4.2.6.1. Case 1: $\alpha = 1, p_1 = p_2$	46
4.2.6.2. Case 2: $\alpha = 1, p_1 \neq p_2$	50

4.2.6.3. Case 3: $\alpha \neq 1$	53
4.3 Deformable foundation	56
4.3.1. Segment 1	56
4.3.2. Segment 4	57
4.3.3. Slope continuity	57
4.3.4. Constraints	57
4.3.5. Cases for the deformable foundation	58
4.3.6. Results for the deformable foundation	59
5. 2-1 Formation.....	63
5.1. Introduction	63
5.2. 2-1 formation without external water.....	63
5.2.1. Segments	65
5.2.2. Slope conditions	66
5.2.3. Constraints	66
5.2.4. Examples and results.....	67
5.2.4.1. Effect of pressure heads	69
5.2.4.2. Effect of θ_{1H}	71
5.3. 2-1 formation with external water.....	75
5.3.1. Segments for Case 1 (external water on tube 1)	77
5.3.2. Slope conditions for Case 1	78
5.3.3. Constraints for Case 1	79
5.3.4. Case 2: External water on tubes 1 and 2	80
5.3.5. Case 3: Partial block contact	81
5.3.6. Case 4: No contact of right block.....	82
5.3.7. Examples and results.....	83
5.3.7.1. Multiple solutions	86
5.3.7.2. Water height effect on tension	89
5.3.7.3. Water height effect on height h_T and ground deflection	92

6. Conclusions and Recommendations	93
6.1 Conclusions.....	93
6.2 Recommendations.....	94
References.....	96
Appendix A.....	100
Appendix B.....	104
Vita.....	110

List of Figures

Figure 2.1	Single tube.....	12
Figure 2.2	Normal force from a Winkler foundation with stiffness coefficient k	19
Figure 3.1	Single tube on a rigid foundation	21
Figure 3.2	Single tube on a deformable foundation	23
Figure 3.3	Comparison of stiffness coefficients for a single tube with $h_1 = 0.25$	26
Figure 3.4	Height and ground deflection of a single tube versus k for three h_1 values.....	27
Figure 3.5	Tension, t_1 , of a single tube versus stiffness coefficient k for three h_1 values	27
Figure 3.6	Single tube with external water, resting on a deformable foundation.....	29
Figure 3.7	Various water heights for single tube, $h_1 = 0.30$, $k = 10$, $\beta = 0.5$, and $x_0 = y_0 = 0.04$	32
Figure 3.8	Comparison of single tube with water on a deformable foundation, $k=15$, $\beta = 0.5$, and $x_0 = y_0 = 0.05$	34
Figure 3.9	Approximate minimum block size, $x_0 = y_0$, required to limit $\theta_{1G} < 2\pi$, as a function of the height of external water, h_w ($\beta = 0.5$)	36
Figure 3.10	Single tubes supported by three different block sizes, $h_1 = 0.70$, $k = 15$, $h_w = 0.15$, $\beta = 0.5$	38
Figure 3.11	Comparison of block width, x_0 , to constant block height, y_0 , for a single tube, $h_1 = 0.70$, $k = 15$, $h_w = 0.15$, $\beta = 0.5$	39
Figure 3.12	Analysis of tension and height versus β for a single tube with water, $h_w = 0.10$, $k = 15$, $x_0 = y_0 = 0.01$	41
Figure 4.1	Model for stacked tubes on a rigid foundation	42
Figure 4.2	Stacked tubes with $h_1 = h_2 = 0.25$, $\alpha = 1$, $\ell = 0.7$	46
Figure 4.3	Comparison of h_1 for stacked tubes where $h_1 = h_2$, $\alpha = 1$, and $\ell = 1$	48
Figure 4.4	Total structure height, h_T , versus h_1 where $h_1 = h_2$	49
Figure 4.5	Circumferential tension versus h_1 , where $h_1 = h_2$	49
Figure 4.6	Comparison of stacked tubes for $\alpha = 1$ and $\ell = 1$, $h_1 > h_2$	52

Figure 4.7	Comparison of stacked tubes for $\alpha = 1$ and $\ell = 1$, $h_2 > h_1$	52
Figure 4.8	Comparison of stacked tubes with $h_1 = h_2 = 0.5$ and $\ell = 1$	54
Figure 4.9	Height h_T versus α , where $h_1 = h_2$	55
Figure 4.10	Circumferential tension of the bottom tube versus α , where $h_1 = h_2$	55
Figure 4.11	Circumferential tension of the top tube versus α , where $h_1 = h_2$	55
Figure 4.12	Model of stacked tubes on a deformable foundation	56
Figure 4.13	Comparison of varying k for stacked tubes with $h_1 = h_2 = 0.6$, $\alpha=1$, and $\ell=1$	59
Figure 4.14	Ground deflection, d_1 , versus foundation stiffness, k , for $h_1 = h_2 = 0.5$	60
Figure 4.15	Circumferential tension versus foundation stiffness, k , for $h_1 = h_2 = 0.5$	61
Figure 4.16	Structure height h_T versus foundation stiffness for $h_1 = h_2 = 0.5$	61
Figure 4.17	Comparison of stacked tubes with $h_1 = h_2 = 0.5$, $\ell = 1$	62
Figure 5.1	Model of 2-1 formation.....	64
Figure 5.2	2-1 formation with $k = 15$, $\theta_{1H} = 0.40$, and $x_0 = y_0 = 0.05$	68
Figure 5.3	Tension versus h_1 for 2-1 formation, $\theta_{1H} = 0.4$, $k = 15$, and $x_0 = y_0 = 0.05$	70
Figure 5.4	λ and height versus h_1 for 2-1 formation, $\theta_{1H} = 0.4$, $k = 15$, and $x_0 = y_0 = 0.05$	71
Figure 5.5	2-1 formation with $h_1 = 0.65$, $h_2 = 0.60$, $k = 15$, and $x_0 = y_0 = 0.05$	73
Figure 5.6	Tension and height versus θ_{1H} for 2-1 formation, $k = 15$, and $x_0 = y_0 = 0.05$	74
Figure 5.7	λ versus θ_{1H} for 2-1 formation, $k = 15$, and $x_0 = y_0 = 0.05$	75
Figure 5.8	2-1 formation with external water on tube 1	76
Figure 5.9	2-1 formation with water on tube 2.....	80
Figure 5.10	Partial block contact.....	81
Figure 5.11	2-1 formation with no contact of right block	82
Figure 5.12	2-1 formation with external water, $h_1 = 0.65$, $h_2 = 0.60$, $\lambda = 0.5$, $k = 15$, $b = 0.5$, and $x_0 = y_0 = 0.05$	84
Figure 5.13	Tension versus water height h_w for 2-1 formation, $h_1 = 0.65$, $h_2 = 0.60$, $\lambda = 0.5$, $k = 15$, $\beta = 0.5$, and $x_0 = y_0 = 0.05$	88
Figure 5.14	Height and ground deflection versus water height, h_w , for 2-1 formation, $h_1 = 0.65$, $h_2 = 0.60$, $\lambda = 0.5$, $k = 15$, $\beta = 0.5$, and $x_0 = y_0 = 0.05$	90

Figure 5.15 2-1 formation with multiple solutions, $h_1 = 0.55$, $h_2 = 0.50$, $h_w = 0.36$, $k = 15$, $x_0 = y_0 = 0.05$ 91

List of Tables

Table 3.1	Solutions for single tube with $h_1 = 0.25$	25
Table 3.2	Solutions for single tube with external water, $h_1 = 0.30$, $k = 15$	33
Table 3.3	Block dimensions shown in Figure 3.10.....	37
Table 4.1	Solutions for $h_1 = h_2$ where $\alpha = 1$ and $\ell = 1$	47
Table 4.2	Solutions for $h_1 = h_2 = 0.6$ where $\alpha = 1$ and $\ell = 1$	58
Table 5.1	Variables for segments in 2-1 formation.....	65
Table 5.2	Numerical results for 2-1 formation, $k = 15$, $x_0 = y_0 = 0.05$	69
Table 5.3	Values for Case 1	77
Table 5.4	Changes for Case 2.....	80
Table 5.5	New values for external water on tube 2, no contact of right block	82
Table 5.6	Numerical solutions for 2-1 formation with external water, $h_1 = 0.65$, $h_2 = 0.60$, $\lambda = 0.5$, $k = 15$, $\beta = 0.5$, and $x_0 = y_0 = 0.05$	86
Table 5.7	Multiple solutions for $h_1 = 0.65$, $h_2 = 0.60$, $\lambda = 0.5$, $k = 15$, $x_0 = y_0 = 0.05$	87